IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the present application:

1. (Currently amended): A method of collecting data from a storage server comprising:

scanning a directory on the storage server;

determining a number of child nodes in the directory, and adding the number to a reference count;

scanning a child node to collect information about the child node, and combining, concurrently to said scanning a child node, the information collected by said scanning into a summary of the directory; and

reducing the reference count after scanning the child node; and storing the summary of the directory.

- (Currently amended): The method of claim, further comprising:
 wherein said storing the summary of the directory comprises writing the summary
 to a database server.
- 3. (Original): The method of claim 1, wherein scanning a child node comprises using an agent separate from the storage server to scan the child.

- 4. (Original): The method of claim 2, wherein writing the summary comprises writing the summary to a multi-appliance management application (MMA) before writing the summary to a database server.
- 5. (Canceled).
- 6. (Original): The method of claim 1, wherein scanning a directory comprises using a directory thread to scan the directory, and wherein scanning a child node comprises using a file thread to scan the child node.
- 7. (Original): The method of claim 2, further comprising accessing the summary using a graphical user interface (GUI).
- 8. (Currently amended): The method of claim 2 7, wherein accessing the summary using a GUI comprises accessing the summary over a network using a web browser.
- 9. (Original): The method of claim 1, further comprising scanning another directory once the reference count is equal to zero.
- 10. (Currently amended): An apparatus comprising:

a storage server having a mass storage device;

an agent coupled to the storage server, the agent to <u>concurrently</u> scan the mass storage device[[,]] to collect information about a file stored on the storage server, and to

combine the information <u>collected</u> into a summary of a directory in which the file is located; and

a database server coupled to the server and the agent to store the summary.

- 11. (Original): The apparatus of claim 10, wherein the storage server is a filer.
- 12. (Canceled).
- 13. (Original): The apparatus of claim 10, further comprising a multi-appliance management application (MMA) coupled to the storage server and the agent, the MMA to manage the storage server.
- 14. (Original): The apparatus of claim 13, further comprising a graphical user interface (GUI) coupled to the MMA.
- 15. (Original): The apparatus of claim 10, wherein the agent has a first file system different from a second file system of the storage server.
- 16. (Currently amended): A machine readable medium having stored thereon executable program code which, when executed, causes a machine to perform a method of collecting data from a storage server, the method comprising:

scanning a directory on the storage server;

determining a number of child nodes in the directory, and adding the number to a reference count;

scanning a child node to collect information about the child node, and combining, concurrently to said scanning a child node, the information collected by said scanning into a summary of the directory; and

reducing the reference count after scanning the child node.

- 17. (Original): The machine readable medium of claim 16, further comprising: writing the summary to a database server.
- 18. (Original): The machine readable medium of claim 16, wherein scanning a child node comprises using an agent separate from the storage server to scan the child node.
- 19. (Original): The machine readable medium of claim 17, wherein writing the summary comprises writing the summary to a multi-appliance management application (MMA) before writing the summary to a database server.
- 20. (Canceled).
- 21. (Original): The machine readable medium of claim 16, wherein scanning a directory comprises using a directory thread to scan the directory, and wherein scanning a child node comprises using a file thread to scan the child node.

- 22. (Original): The machine readable medium of claim 17, further comprising accessing the summary using a graphical user interface (GUI).
- 23. (Original): The machine readable medium of claim 17, wherein accessing the summary using a GUI comprises accessing the summary over a network using a web browser.
- 24. (Original): The machine readable medium of claim 16, further comprising scanning another directory once the reference count is equal to zero.
- 25. (Currently amended): A method of collecting data from a file server comprising: scanning a directory on the file server;

determining a number of child nodes in the directory using a directory thread operated by an agent;

adding the number of child nodes to a reference count;

scanning a child node in the directory using a file thread operated by an agent to determine information about the child node;

<u>concurrently to said scanning a child node,</u> combining the information <u>determined</u>

<u>by said scanning</u> into a summary of the file server using the agent;

reducing the reference count after scanning the child node; and storing the summary on a database server.

- 26. (Original): The method of claim 25, wherein the agent is controlled by a multi-appliance management application (MMA).
- 27. (Original): The method of claim 26, wherein the MMA generates a graphical user interface (GUI).
- 28. (Original): The method of claim 26, wherein the summary is written to the MMA before storing the summary on the database server.
- 29. (Canceled).
- 30. (Original): The method of claim 25, further comprising scanning another directory once the reference count is equal to zero.